


Technical Rider

TIN MEN
AND THE
TELE
PHONE



TIN MEN
AND THE
TELE
PHONE

Patchlist Tin Men and the Telephone V12 - C

CH	Source	Mic/DI	48+	Stand	Insert
1	Kick	AKG D112 / Shure Beta 52A		S/B	gate
2	Snare 1 (top)	Shure SM57		S/B	gate
3	Tom	dynamic		clip	gate
4	Floortom	dynamic		clip	gate
5	OH SL	condenser	x	L/B	
6	OH SR	condenser	x	L/B	
7	Drumpad L	DI			
8	Drumpad R	DI			
9	Double Bass	DI			
10	Piano	condenser	x		
11	Piano	condenser	x		
12	Piano	dynamic MD441		L/B	
13	Piano	dynamic MD441		L/B	
14	Piano FX (mono)	DI			
15	Computer Samples L	DI			
16	Computer Samples R	DI			
17	Vox Piano (announce)	Shure Beta 58 A		L/B	

technical requirements

instruments

acoustic grand piano (88 keys)
 drumkit with 3 cymbals stands, 2 snare stands
 preferably: 20" bassdrum, 14" floortom, 2 x 14" snare
 upright bass with pickup (setup for jazz) + bow
 bass amp

projection

projection screen
 beamer, ratio 16:9, resolution 1280x720, VGA or HDMI connector next to piano

WIFI

WIFI network with high capacity (audience will use internet!) at least 20Mb download,
 UTP cable or wall connection is required.
 On request the band can bring their own Access Points which will be plugged into the existing network

contact: Tony Roe roemusicproductions@gmail.com tel: +316 49360416

